



High-Efficiency Interior Lighting System Verification

KLAMATH COUNTY BUILDING DIVISION

305 Main Street, Klamath Falls, OR 97601

Phone: (541) 883-5121 • Fax: (541) 885-3644

Web: www.klamathcounty.org

INSTRUCTIONS

The Oregon Residential Specialty Code (ORSC) Section N1107.2 says: *High-efficiency interior lighting systems. A minimum of fifty (50) percent of the permanently installed lighting fixtures shall be installed with compact or linear fluorescent, or a lighting source that has a minimum efficacy of 40 lumens per input watt. Screw-in compact fluorescent lamps comply with this requirement. The building official shall be notified in writing at the final inspection that a minimum of fifty percent of the permanently installed lighting fixtures are compact or linear fluorescent, or a minimum efficacy of 40 lumens per input watt.*

General contractor shall sign below and file this form with the Building Division prior to final inspection.
Certificate of Occupancy will not be issued until form is recorded at the Building Division.

PETITIONER INFORMATION

Building Permit No.: _____

Owner/applicant name: _____ Phone: _____

Mailing address: _____

City: _____ State: _____ ZIP: _____

Job site address: _____

City: _____ State: _____ ZIP: _____

Tax lot no.: _____

HIGH-EFFICIENCY LIGHTING VERIFICATION

By my signature below, I certify that a minimum of fifty (50) percent of the permanently installed lighting fixtures in the above mentioned building have been installed with compact or linear fluorescent, or a lighting source that has a minimum efficacy of 40 lumens per input watt. (ORSC N1107.2)

Signature of owner/general contractor/authorized agent

Date

Print name